U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTORNEY'S DOCKET NUMBER 01013.0004.US00 TRANSMITTAL LETTER TO THE UNITED STATES U.S. APPLICATION NO. (if known) DESIGNATED/ELECTED OFFICE (DO/EO/US) **CONCERNING A FILING UNDER 35 U.S.C. 371** 10/009484 PRIORITY DATE CLAIMED INTERNATIONAL FILING DATE INTERNATIONAL APPLICATION NO. 9th June 2000 14th June 1999 PCT/CH00/00319 TITLE OF INVENTION Selection of Information Units for Mobile Client Computers APPLICANT(S) FOR DO/EO/US Andreas FABRI Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. The US has been elected by the expiration of 19 months from the priority date (Article 31). A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is attached hereto (required only if not communicated by the International Bureau). has been communicated by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US). An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). 6. is attached hereto. a. has been previously submitted under 35 U.S.C. 154(d)(4). b. Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)). are attached hereto (required only if not communicated by the International Bureau). have been communicated by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). An Oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). An English language translation of the annexes of the International Preliminary Examination report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11 to 20 below concern document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 36 CFR 3.28 and 3.31 is 12. \square included. 13. A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. 15. A substitute specification. A change of power of attorney and/or address letter. 16. 🔲 A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 -17. 1.825. A second copy of the published international application under 35 U.S.C. 154(d)(4). 18. A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 19. □ 20. Other items or information.

U.S. APPLICATION NO	. (if known, see 37 CFR 1.5	international	APPLICATION NO.	ATTORNEY'S	DOCKET NO.		
10/009484 PCT/CH00/00319			01013.0004.US00				
21. The foll	owing fees are submit	CALCULATIONS	PTO USE ONLY				
BASIC NATIONAL	FEE (37 CFR 1.492 (A)						
nor international search	reliminary examination i h fee (37 CFR 1.445(a)(2 ch Report not prepared b						
	ary examination fee (37 G						
International prelimina but international search	ry examination fee (37 on fee (37 on fee (37 CFR 1.445(a))	CFR 1.482) not paid to U 2) paid to USPTO	JSPTO 710.00				
	ary examination fee (37 of atisfy provisions of PCT						
	ary examination fee (37 or provisions of PCT Artic						
ENTER APPROPRIATE BASIC FEE AMOUNT =			\$860				
	for furnishing the Oath of st claimed priority date	\$					
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$			
Total claims	21 - 20 =	1	X \$ 18.00	\$18			
Independent claims	3 - 3 =	0	X \$ 80.00	\$0			
MULTIPLE DEPEND	ENT CLAIM(S) (if app	licable)	X \$270.00	\$ 0			
	T	OTAL OF ABOVE CA	LCULATIONS =	\$ 18			
Applicant claim are reduced by 3	s small entity status. Se	e 37 CFR 1.27. The fee	s indicated above	\$			
			SUBTOTAL =	\$878			
	0.00 for furnishing the O	\$					
		TOTAL N	ATIONAL FEE =	\$			
	enclosed assignment (37 propriate cover sheet (37			\$			
		TOTAL FEB	ES ENCLOSED =	\$878			
				Amount to be refunded:	\$		
			charged:	\$			
a. A check in	the amount of \$878 t	o cover the above fee	s is enclosed.		,		
b Please charge my Deposit Account No. 08-3038 referencing Order No. in the amount of \$ to cover the above fees.							
c. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 08-3038 referencing Order No. A duplicate copy of this sheet is enclosed.							
	be charged to a credit information and author			t be included on th	is form. Provide		
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.							
SEND ALL CORRESPONDENCE TO: SIGNATURE:							
		NAME: M, M	ARI Bell	No. 39,6	04		
	122	KEGIST KATION	1 Cy	100. 3/16	<i>v</i> /		

10009484**10√0**09484

JC13 Rec'd PCT/PTO 1 3 DEC 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Andreas FABRI

Serial No: To be Assigned

(Based on International Appln. No.

PCT/CH00/00319)

Filing Date: Herewith

International Filing Date: 9 June 2000

lational Fining Date. 9 June 2000

Title: SELECTION OF INFORMATION UNITS

FOR MOBILE CLIENT COMPUTERS

Atty. Dkt. No.: 01013.0004.US00

Group Art Unit: To be Assigned

Examiner: To be Assigned

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Before undertaking the examination of the above noted application, Applicant requests the following:

AMENDMENTS:

IN THE CLAIMS:

Please amend claims 1-21 as rewritten below. A copy of the amended claims is attached, marked up to show the changes relative to the previous version of the claims.

1. [amended] A facility for selecting information units for a mobile client computer, comprising a server computer having means for selecting information units by preset criteria, wherein

the preset criteria comprise geographical locational information in the form of a geographical longitude and latitude,

each information unit has geographical locational information in the form of a geographical longitude and latitude assigned to it, and

the locational information and a geographical position for the client computer, in the form of a geographical longitude and latitude, are input variables for the selecting means.

- 2. [amended] The facility according to claim 1, wherein the server computer has data structures for supporting a selection made from among preset points on a plane which are situated closest to a further preset point.
- 3. [amended] The facility according to claim 2, wherein the data structure maps a Voronoi diagram.
- 4. [amended] The facility according to claim 2, wherein the data structure maps a two-dimensional range tree.
- 5. [amended] The facility according to claim 1, wherein the information units [contain essentially] comprise images from web cameras.
- 6. [amended] The facility according to claim 1, wherein the information units can be transmitted to a client computer and contain instructions for showing the information units on a display unit belonging to the client computer.
- 7. [amended] The facility according to claim 1, wherein the position used for the client computer is a current, past, or expected future position of the client computer.
- 8. [amended] The facility according to claim 1, wherein the information units [have] comprise references to sources of information.
- 9. [amended] A computer system for selecting information units for mobile client computers, comprising a server computer having means for selecting information units by preset criteria, and a client computer, wherein

the preset criteria comprise geographical locational information in the form of a geographical longitude and latitude,

each information unit has geographical locational information in the form of a geographical longitude and latitude assigned to it, and

the locational information and a position for the client computer, in the form of a geographical longitude and latitude, can be used for the selection.

- 10. [amended] The computer system according to claim 9, wherein the client computer has means for determining its geographical location.
- 11. [amended] The computer system according to claim 9, wherein the client computer is fitted in a means of transport.
- 12. [amended] The computer system according to claim 11, wherein the means of transport is a train, aircraft, motor car, boat, bicycle, airship, submarine or spacecraft.
- 13. [amended] The computer system according to claim 9, wherein the means of transport has a proxy computer.
- 14. [amended] The computer system according to claim 9, wherein the server computer and the client computer are connected together via a communications network comprising a wireless communications link.
- 15. [amended] A method of selecting information units for mobile client computers, wherein each information unit has assigned to it geographical locational information in the form of a geographical longitude and latitude and this geographical locational information and a position for the client computer in the form of a geographical longitude and latitude are used for the selection.
- 16. [amended] The method according to claim 15, wherein the position used for the client computer is a current, past, or expected future position of the client computer.

17. [amended] The method according to claim 15, wherein the geographical locational information of each information unit assigns a physical position to the information unit [a physical position], and the selection determines a preset number of information units whose assigned position is closest to the position of the client computer.

18. [amended] The method according to claim 15, wherein the geographical locational information of each information unit assigns a physical position to the information unit, and the selection determines those information units whose assigned positions are within a predetermined area surrounding the position of the client computer.

19. [amended] The method according to claim 15, wherein the server computer determines categories of interest by interaction with a user, and restricts the selection to information units which belong to the categories of interest.

20. [amended] The method according to claim 15, wherein the server computer transmits results of the selection to the client computer and the client computer shows the results on a display unit belonging to the client computer.

21. [amended] The method according to claim 15, wherein the information units contain image data which is generated by web cameras.

REMARKS:

AMENDMENTS TO THE CLAIMS:

The amendments to the claims have been made to delete reference numbers, correct grammatical errors, incorporate amendments made during international preliminary examination, and to ensure that the scope and language of the claims is more precise and clear in defining what the Applicant considers to be his invention.

Applicant respectfully submits that no new matter is introduced by the proposed amendments. Support for the above amendments to the claims can be found in the original specification as filed in the following locations:

Amendment to Claim:

Disclosure in Specification Supporting Amendment:

1, 9 and 15

Page 6, lines 20-30 of the translation of the specification.

Applicant requests any extension of time that may be deemed necessary to further the prosecution of this application. Applicant's representative authorizes the Commissioner to charge any additional fees which may be required, or credit any overpayment, to Deposit Account No. 01-2508, referencing Order No.

In order to facilitate the resolution of any issues or questions presented by this paper, the Examiner is respectfully requested to directly contact the undersigned by telephone at the number given below.

Respectfully submitted,

David P. Owen Patent Attorney

Reg. No. 43,344

Tel. 44 20 7628 33/03

(Please note: this is telephone no. in London, United Kingdom)

Data

Marked Up Copy of Amended Claims Showing Additions and Deletions

1. [amended] [Facility] A facility for selecting information units for a mobile client computer [(4)], comprising a server computer [(3)] having means for selecting information units by preset criteria, [characterised in that] wherein

the preset criteria [have] <u>comprise</u> geographical locational information <u>in the form of</u> a geographical longitude and latitude,

each information unit has geographical locational information <u>in the form of a geographical longitude</u> and <u>latitude</u> assigned to it, and

[this] the locational information and a geographical position for the client computer [(4)], in the form of a geographical longitude and latitude, are input variables for the selecting means.

- 2. [amended] [Facility] The facility according to claim 1, [characterised in that] wherein the server computer [(3)] has data structures for supporting a selection made from among preset points on a plane which are situated closest to a further preset point.
- 3. [amended] [Facility] The facility according to claim 2, [characterised in that] wherein the data structure maps a Voronoi diagram.
- 4. [amended] [Facility] The facility according to claim 2, [characterised in that] wherein the data structure maps a two-dimensional range tree.
- 5. [amended] [Facility] The facility according to claim 1, [characterised in that] wherein the information units [contain essentially] comprise images from web cameras.
- 6. [amended] [Facility] The facility according to claim 1, [characterised in that] wherein the information units can be transmitted to a client computer [(4)] and contain instructions for showing the information units on a display unit belonging to the client computer [(4)].
- 7. [amended] [Facility] The facility according to claim 1, [characterised in that] wherein the position used for the client computer [(4)] is a current, past, or expected future position of the client computer [(4)].

- 8. [amended] [Facility] The facility according to claim 1, [characterised in that] wherein the information units [have] comprise references to sources of information [(2)].
- 9. [amended] [Computer] A computer system for selecting information units for mobile client computers [(4)], comprising a server computer [(3)] having means for selecting information units by preset criteria, and a client computer [(4)], [characterised in that] wherein

the preset criteria [have] <u>comprise</u> geographical locational information <u>in the form of</u> a geographical longitude and latitude,

each information unit has geographical locational information in the form of a geographical longitude and latitude assigned to it, and

[this] the locational information and a position for the client computer [(4)], in the form of a geographical longitude and latitude, can be used for the selection.

- 10. [amended] [Computer] <u>The computer</u> system according to claim 9, [characterised in that] <u>wherein</u> the client computer [(4)] has means for determining its geographical location.
- 11. [amended] [Computer] The computer system according to claim 9, [characterised in that] wherein the client computer [(4)] is fitted in a means of transport [(9)].
- 12. [amended] [Computer] The computer system according to claim 11, [characterised in that] wherein the means of transport [(9)] is a train, aircraft, motor car, boat, bicycle, airship, submarine or spacecraft.
- 13. [amended] [Computer] <u>The computer</u> system according to claim 9, [characterised in that] wherein the means of transport [(9)] has a proxy computer [(8)].
- 14. [amended] [Computer] The computer system according to claim 9, [characterised in that] wherein the server computer [(3)] and the client computer [(4)] are connected together via a communications network [(1), the client computer (4) preferably having] comprising a wireless communications link [to the communications network (1)].
- 15. [amended] [Method] A method of selecting information units for mobile client computers [(4)], [characterised in that] wherein each information unit has assigned to it geographical

locational information in the form of a geographical longitude and latitude and this geographical locational information and a position for the client computer [(4)] in the form of a geographical longitude and latitude are used for the selection.

- 16. [amended] [Method] The method according to claim 15, [characterised in that] wherein the position used for the client computer [(4)] is a current, past, or expected future position of the client computer [(4)].
- 17. [amended] [Method] The method according to claim 15, [characterised in that] wherein the geographical locational information of each information unit assigns a physical position to [said] the information unit [a physical position], and the selection determines a preset number of information units whose assigned position is closest to the position of the client computer [(4)].
- 18. [amended] [Method] The method according to claim 15, [characterised in that] wherein the geographical locational information of each information unit assigns a physical position to [said] the information unit [a physical position], and the selection determines those information units whose assigned positions are [in an] within a predetermined area surrounding the position of the client computer [(4)].
- 19. [amended] [Method] The method according to claim 15, [characterised in that] wherein the server computer [(3)] determines categories of interest by interaction with a user, and restricts the selection to information units which belong to [said] the categories of interest.
- 20. [amended] [Method] The method according to claim 15, [characterised in that] wherein the server computer [(3)] transmits results of the selection to the client computer [(4)] and the client computer [(4)] shows the results on a display unit belonging to the client computer [(4)].
- 21. [amended] [Method] The method according to claim 15, [characterised in that] wherein the information units contain image data which is generated by [so-called] web cameras [or "webcams"].

Translator's note: Claim 1, line 8 - 'the preset criteria have geographical locational information'.

The German word used here is "aufweisen" which is indicative of possession in the most general sense. However, the English is more comprehensible if "have" in this very general sense is understood as "include" (= "comprise").

2001-06-28 mm **Amendments**

CLAIMS

Facility for selecting information units for a mobile client computer (4), comprising a server computer (3) having means for selecting information units by preset criteria, characterised in that, the preset criteria have geographical locational information in the form of a geographical longitude and latitude, each information unit has geographical locational information in the form of a geographical longitude and latitude assigned to it, and this locational information and a geographical position for the client computer (4), in the form of a geographical longitude and latitude, are input variables for the selecting means.

10

15

25

30

- Computer system for selecting information units for mobile client computers (4), comprising a server computer (3) having means for selecting information units by preset criteria, and a client computer (4), characterised in that, the preset criteria have geographical locational information in the form of a geographical longitude and latitude, each information unit has geographical locational information in 20 the form of a geographical longitude and latitude assigned to it, and this locational information and a position for the client computer (4), in the form of a geographical longitude and latitude, can be used for the selection.
 - Method of selecting information units for mobile client computers (4), characterised in that each information unit has assigned to it geographical locational information in the form of a geographical longitude and latitude and this geographical locational information and a position for the client computer (4) in the form of a geographical longitude and latitude are used for the selection in a server computer (3).

- 2 -

Amendments

2001-06-28 mm

for the files and information which are relevant to the user to be found.

It is also a generally familiar idea for motor cars or aircraft seats to be fitted with client computers provided with HTML browsers to allow information from the internet to be displayed. In these applications too there is the problem described above of the user being swamped with information.

In EP 0 785 535 A1 is described a vehicle navigation system in which a map section stored on a CD-ROM in the client is determined from GPS positioning information. On the basis of a district of a town selected by a user, the name of the district is transmitted to the server, whereupon the latter determines from the district information units assigned to, for example, entertainment offerings. It is not however possible in this way for suitable information units to be selected automatically and without any interaction with a user.

10

15

20

25

Description of the invention

The object of the invention is therefore to provide a facility, a computer system and a method for selecting information units for mobile client computers, of the abovementioned kind, which reduce the amount of information which is presented to a user and which increase the relevance to the user of the information units selected.

This object is achieved by a facility, a computer system and a method for selecting information units which have the features detailed in claims 1, 9 and 15.

- 2a -

Amendments

Hence, in the method according to the invention the selection of information units for mobile client computers is effected by assigning geographical locational information in the form of a geographical longitude and latitude to each of the individual information units and by making allowance for this locational information and the geographical position of the client computer in the form of a geographical longitude and latitude in making the selection.

In this way it becomes possible to restrict the selection of information units to those units which relate to a given geographical area. In particular, information units which are situated close to the position of the client computer can be selected.

10

99/128

1

Selection of information units for mobile client computers

DESCRIPTION

5

10

15

20

25

30

Technical field

The invention relates to the field of communications technology. It relates to a facility, a computer system and a method for selecting information units for mobile client computers, as detailed in the preambles to claims 1, 9 and 15.

Prior art

A method of this kind is known from US 5,659,732 for example. In it, information units on a communications network, such as HTML files for example, which can be read over the internet, are indexed by a so-called search engine. In response to a search query containing one or more query terms from a user, files which are being looked for are identified from an index. The user is presented with a suitably prepared list of the files found and their addresses, in the form of URL's (uniform resource locators) for example. Because of the vast number of files that can be accessed on the internet, the number of files found is often very large. This makes it more difficult for the files and information which are relevant to the user to be found.

It is also a generally familiar idea for motor cars or aircraft seats to be fitted with client computers provided with HTML browsers to allow information from the internet to be displayed. In these applications too there is the problem described above of the user being swamped with information.

Description of the invention

10

15

20

25

30

The object of the invention is therefore to provide a facility, a computer system and a method for selecting information units for mobile client computers, of the abovementioned kind, which reduce the amount of information which is presented to a user and which increase the relevance to the user of the information units selected.

This object is achieved by a facility, a computer system and a method for selecting information units which have the features detailed in claims 1, 9 and 15.

Hence, in the method according to the invention the selection of information units for mobile client computers is effected by assigning geographical locational information to each of the individual information units and by making allowance for this locational information and the geographical position of the client computer in making the selection.

In this way it becomes possible to restrict the selection of information units to those units which relate to a given geographical area. In particular, information units which are situated close to the position of the client computer can be selected.

A major advantage of the method according to the invention is that the selection of information units is restricted to a preset geographical area and in this way a large number of irrelevant items of information are got rid of. This also reduces the computer cost and complication required for processing, transmitting and presenting the information.

In a variant of the invention the client computer is situated in a means of transport such as a train, aircraft or motor car.

In another variant of the invention the position of the client computer which is allowed for does not necessarily have

to be its current position but can be a past or an expected future position of the client computer or the means of transport.

In a further variant of the invention the information units are image files which are generated by so-called web cameras or "webcams" and are continually updated.

Other preferred embodiments can be seen from the dependent claims.

10 Brief description of the drawings

The invention is explained in detail below by reference to a preferred embodiment which is shown in the accompanying drawings. In the drawings:

Fig.1 is a schematic representation of communications links and elements which the method according to the invention uses,

Fig.2 is a representation of information units which are selected in a variant of the invention, and

Fig.3 shows a section of a Voronoi diagram.

The reference numerals used in the drawings and their meanings are listed as a group in the list of reference numerals. The same elements are always given the same reference numerals in the drawings.

25 Ways of implementing the invention

Fig.1 is a schematic representation of elements and links which the method according to the invention preferably uses. The links should be thought of as bi-directional communications links. In Fig.1, a plurality of sources of information, i.e. sources 2 of information units, one or more server computers, referred to for short as servers 3, and one or more client computers, referred to for short as clients 4, are connected

together by means of a communications network 1. A client 4 has a processing unit, a display unit and a communications unit for communicating with the communications network 1. A client 4 preferably also has means for determining its geographical position and means for the input of information by a user. One or more first clients 4 are connected to the communications network via a standard interface 5 belonging to communications network 1. One or more second clients 4' are connected via a special interface 6 to a coupling unit 7 which is connected in turn to the communications network 1. One or more third clients 4'' do not communicate via the communications network 1 but via special interfaces 6 with the server 3. Other, fourth clients 4''' are connected to a shared proxy server 8 on a means of transport 9, which in turn is connected to the communications network.

10

15

20

25

30

There are various technological variants that employed to implement the above-mentioned elements invention. The communications network 1 may for example be the internet, which is based on the TCP/IP protocol, or the worldwide web which is based on the internet. The sources 2 may for example be files in the HTML format or a format therefrom, or image files, which can be accessed by means of the communications network 1. The clients 4 are portable, being for example a PDA (personal digital assistant) or a mobile phone with an integral web browser, or are fitted in a means of transport such as a motor car, train, bicycle, aircraft, airship, boat or submarine. Browser software used by the client 4 is fully HTML-compatible or else is tailored to efficiently display image or textual information. The standard interface 5 is preferably a TCP/IP (Transmission Control Protocol/Internet Protocol) link. It can for example be implemented in transparent form by means of a telephone network or a wireless transmission facility. The special interface 6 is for example a private

communications network or a non-standardised communications protocol or a proprietary interface.

Two advantageous variant implementations of the invention are described below. What is common to both variants is that the server 3 collects information from a plurality of sources 2 and assigns geographical locational information to each source 2. This assignment is performed by, for example, extracting geographical locational information which is already explicitly present in a source or implicitly present in a text at the source, by analysing an IP address associated with source, or by manual input by a user.

10

15

20

25

30

A proposal for how information units which available over the internet can be provided with explicit information on a geographical location is made in the "w3c Proposed Recommendation 03, March 1999" under the "Resource Description Framework (RDF) Schema Specification" by found Dan Brickley and R.V.Guha, which can be at http://www.w3.org/TR/PR-rdf-schema.

In a first advantageous variant of the invention, the invention is used for informing and entertaining passengers on a means of public transport such as the railway, a bus or coach or an aircraft. In this case the passengers are shown images by means of the display unit of the client 4, the images making reference to the route followed by the means of transport. These images are for example generated and continually updated by so-called web cameras or "webcams" acting as sources 2. For this purpose, the client 4 makes contact periodically with the server 3 and transmits to the server 3 an enquiry and a past, current or future position of the means of transport. The position, i.e. the geographical location, of the means of transport is found by means of a GPS (global positioning system) receiver for example. In the case of a railway vehicle, signalling and route data can also be used to determine position and in the case of an

aircraft appropriate navigational data can also be used for this purpose.

A first form of the enquiry asks about a web camera which is closest to the position of the means of transport. The server 3 then either transmits to the client 4 a reference or an address, such as a URL (uniform resource locator) address, of a web camera, whereupon the client 4 loads the image data from the web camera, or the server itself loads the image data from the web camera and transmits it to the client 4. In both cases it is advantageous if the server checks whether the image data has changed since the last enquiry, thus making it unnecessary for data to be transmitted to the client 4. Periodic enquiries show either new images from the same web camera or images from a different web camera if the means of transport is approaching the latter. This first form of enquiry is advantageous if a plurality of, or all, the passengers view the images displayed by a client 4. The image data comprises not only the image information proper but also data such as parameters of the image, time of recording or comments.

15

20

25

30

A second form of enquiry asks for all the web cameras which are situated in a preferably rectangular section of the area surrounding the position of the means of transport. This section geographical latitude example defined by the longitude of its centre and by the width and height of the section, in kilometres for example. The server 3 then transmits to the client 4 as references for the sources 2 the addresses of all the web cameras which are situated in this section together with their geographical location, i.e. their geographical latitude and longitude for example, and reduced or thumbnail client web cameras. The from the relevant superimposes these reduced images on a map 21 of the surrounding area and shows the resulting image on the display unit of the client 4. An example of a representation of this kind is shown

in Fig.2. The reduced images 22 are advantageously hyperlinks, i.e. they have a reference assigned to them. The reference is a web the address of camera. From example representation the user selects which image he would like to see enlarged. He makes the selection by for example clicking on a reduced image 22 with a graphic input unit or by touching a touch-sensitive surface of the display unit. The image selected is loaded by the client 4 from the web camera, or the server 3 loads the image data from the web camera and transmits it to the client 4. This second form of enquiry is advantageous if for example each client 4 is assigned to an individual passenger. Advantageously, the means of transport is fitted with a proxy server 8. This stores the replies to all the enquiries from all in a circulating memory so that images and the clients 4 addresses which are asked for by a plurality of passengers are transmitted to the means of transport only once.

10

15

20

25

30

By compressing the image data and if the transmission interfaces 5 and 6 have sufficient bandwidth available, it is also possible for video images to be shown rather than stills.

The server 3 maintains data structures which allow the enquiries from the clients 4 to be answered efficiently:

To determine the position of the web camera closest to the means of transport when the enquiry is of the first form, use is made of Voronoi diagrams for example. Fig. 3 shows a section of a two-dimensional Voronoi diagram. In a two-dimensional Voronoi diagram, a plane which contains a set of given points 31 is partitioned into a set of regions 32 in such a way that the distance between any point in a region and one of the given points 31 is less than the distance to any of the other given points 31. In the present invention, the positions of web cameras constitute the given points 31. It is found from the position of a client 4 in which region the client 4 is situated and hence which is the closest web camera.

The use of a Voronoi diagram typically entails the use of a corresponding data structure for searching. The latter generally an acyclic directed graph with a height of the order of o(log n) where n is the size of the Voronoi diagram, i.e. the number of given points in it, and the maximum number of branches radiating from each node in the graph is constant. It is thus possible in logarithmic time to find the associated region in the Voronoi diagram for a point (x,y) and hence the closest of the given points. The search structure is typically also used to add new points or to remove points. Both cause changes to the Voronoi diagram and the search structure but the cost involved is less than would be entailed by re-determining them in their entirety.

10

15

20

25

30

To determine all the points which are situated in a given rectangular section of a plane for the second form of the enquiry, two-dimensional range trees (referred to below as RT's) for example are used. An RT for two-dimensional positional coordinates (x,y) has an RT for a first co-ordinate (x), with each node in the RT which is not a leaf having an RT with a second co-ordinate (y) for all the points in the subtree of the node. A two-dimensional RT for a set of points in the Euclidean plane is a data structure which efficiently supports window enquiries. A listing of the points which window enquiry means the situated in a given rectangular section of the plane whose outlines are parallel to the axes of the plane. Efficient means a polylogarithmic cost, i.e. a cost of the order of $O((\log n)^c)$ where n is the number of points and c is a constant. RT's are implemented as static, semi-dynamic or dynamic structures. the case of static structures all the points are known before is calculated. In the case of semi-dynamic structure structures points can be added efficiently and in the case of dynamic structures points can be added and removed efficiently.

The data structures, i.e. the Voronoi diagram or two-dimensional RT, are continually updated by accepting new web cameras that become available and cutting out ones that cease to be available, thus ensuring optimum availability of the data on offer. Since the number n of web cameras may be considerable, these operations need to be efficiently performed, at polylogarithmic cost for example.

The process of finding web cameras from the large and constantly changing number of URL's may for example be automated by examining the environment of images which are included in web pages for keywords such as "webcam" or "camera" and by examining images for periodic changes. This process produces a set of web cameras of potential interest. When web cameras are accepted server data structures of the 3, the geographical locational information is determined from data which the web camera or the computer managing the web camera itself explicitly supplies or it is added by an operator. Such an operator also checks the quality of the contents of the images from a given web camera.

10

15

20

25

30

Compared with conventional displays in aircraft or railway vehicles, this first variant of the invention gives a substantially higher standard of information or entertainment. In comparison with totally random internet enquiries by the passengers, the load on the communications interface between the means of transport 9 and the communications network 1 is far smaller.

In a second advantageous variant of the invention, the invention is used to supply information to occupants of a motor car or to users of a portable client 4. In this case information relating to the position of the means of transport and to a user-defined category is presented to the user or users by means of a display unit belonging to the client 4. By means of the

facility according to the invention the user may for example determine what the nearest pizzeria is.

For this purpose the method according to the invention operates as follows: the server 3 transmits to the client 4 a set of categories in which a mobile user may be interested. These categories designate for example facilities such as restaurants, car parks, bus stops, cinemas, events, police stations or public conveniences. The client 4 shows these categories on its display unit, whereupon the user selects a category of interest by means of an input device. transmission, representation and selection of categories are preferably performed by a user defining his interest by making selections from a question tree containing questions that become successively more specific. In this case the server determines what is selected next in each case from the answer by the user which is transmitted from the client 4. The client 4 also transmits information on the geographical position or location of the client 4. The position is for example determined by means of a GPS (global positioning system) receiver fitted in the client 4.

10

15

20

25

30

A category of interest having been selected as described above, the server looks for appropriate facilities which are situated in physical proximity to the client 4. For this purpose the server 3 finds for example the closest facility, a preset number of facilities which are closest or the set of facilities which are within a preset distance from the client 4. For this purpose the server 3 maintains a database on facilities which also contains information on the geographical location of the facilities. A dataset in this database may for example have for facility geographical locational information, a brief description or keywords for the facility, and a reference for on the facility. The reference information advantageously a network address and in particular a URL. The

database is generated automatically, partly manually, or solely manually by reference to web pages and other information on the facilities. As long as web pages do not contain geographical locational information as standard, a proportion of manual work will be necessary. It will be done by a specialist information service and will be financed by the facilities affected and/or by charging for user enquiries.

The server 3 transmits brief descriptions of the one or more facilities found to the client 4, together advantageously with hyperlinks by means of which the client 4 can call up information on facilities which have been found directly. Information of this kind may relate for example to prices, timetables, programmes, menus, wine lists, seats available or In another variant standard of the facility. invention, criteria relating to this information are preset by the user and are allowed for even at the stage when facilities are being searched for. In a search for restaurants, the user may for example preset the criterion that a table for ten people has to be free. If a restaurant able to provide this is found, the table is reserved via the restaurant's web site and the wine for example is put to cool. If the user wishes, the server 3 transmits to the client 4 a plan of the area surrounding the client 4 on which the restaurant is entered.

10

15

20

List of reference numerals

- 1 Communications network nw
- 2 Source of information units src
- 3 Server srv
- 5 4, 4', 4'', 4''' Client computers cl
 - 5 Standard interface with communications network
 - 6 Special interface
 - 7 Coupling unit cu .
 - 8 Proxy server ps
- 10 9 Means of transport
 - 10 Map
 - 22 Reduced image
 - 31 Given point
 - 32 Region

CLAIMS

25

1. Facility for selecting information units for a mobile client computer (4), comprising a server computer (3) having means for selecting information units by preset criteria, characterised in that

the preset criteria have geographical locational information.

each information unit has geographical locational information assigned to it, and

this locational information and a geographical position for the client computer (4) are input variables for the selecting means.

- 2. Facility according to claim 1, characterised in that the server computer (3) has data structures for supporting a selection made from among preset points on a plane which are situated closest to a further preset point.
- 3. Facility according to claim 2, characterised in that the data structure maps a Voronoi diagram.
 - 4. Facility according to claim 2, characterised in that the data structure maps a two-dimensional range tree.
 - 5. Facility according to claim 1, characterised in that the information units contain essentially images from web cameras.
 - 6. Facility according to claim 1, characterised in that the information units can be transmitted to a client computer (4) and contain instructions for showing the information units on a display unit belonging to the client computer (4).
- 7. Facility according to claim 1, characterised in that the position used for the client computer (4) is a current, past, or expected future position of the client computer (4).

- 8. Facility according to claim 1, characterised in that the information units have references to sources of information (2).
- 9. Computer system for selecting information units for mobile client computers (4), comprising a server computer (3) having means for selecting information units by preset criteria, and a client computer (4), characterised in that

the preset criteria have geographical locational information,

each information unit has geographical locational information assigned to it, and

10

this locational information and a position for the client computer (4) can be used for the selection.

- 10. Computer system according to claim 9, characterised in that the client computer (4) has means for determining its geographical location.
 - 11. Computer system according to claim 9, characterised in that the client computer (4) is fitted in a means of transport (9).
- 12. Computer system according to claim 11, characterised in that the means of transport (9) is a train, aircraft, motor car, boat, bicycle, airship, submarine or spacecraft.
 - 13. Computer system according to claim 9, characterised in that the means of transport (9) has a proxy computer (8).
- 25 14. Computer system according to claim 9, characterised in that the server computer (3) and the client computer (4) are connected together via a communications network (1), the client computer (4) preferably having a wireless communications link to the communications network (1).
- 15. Method of selecting information units for mobile client computers (4), characterised in that each information unit has assigned to it geographical locational information and

this geographical locational information and a position for the client computer (4) are used for the selection.

- 16. Method according to claim 15, characterised in that the position used for the client computer (4) is a current, past, or expected future position of the client computer (4).
- 17. Method according to claim 15, characterised in that the geographical locational information of each information unit assigns to said information unit a physical position, and the selection determines a preset number of information units whose assigned position is closest to the position of the client computer (4).

10

15

20

25

- 18. Method according to claim 15, characterised in that the geographical locational information of each information unit assigns to said information unit a physical position, and the selection determines those information units whose assigned positions are in an area surrounding the position of the client computer (4).
- 19. Method according to claim 15, characterised in that the server computer (3) determines categories of interest by interaction with a user, and restricts the selection to information units which belong to said categories of interest.
- 20. Method according to claim 15, characterised in that the server computer (3) transmits results of the selection to the client computer (4) and the client computer (4) shows the results on a display unit belonging to the client computer (4).
- 21. Method according to claim 15, characterised in that the information units contain image data which is generated by so-called web cameras or "webcams".

ABSTRACT

A facility, a computer system and a method for selecting information units for mobile client computers (4) operate by assigning geographical locational information to individual information units, and this locational information and a position for the client computer (4) are used for the selection. This makes it possible for the selection information units to be restricted to information units which relate to a given geographical area. In particular, it possible for information units which are situated close to the position of the client computer (4) to be selected. preferred variant of the invention, images from web cameras which are situated close to a means of transport are shown in the means of transport. In a further variant of the invention, are determined are facilities falling into a preset what category, such as restaurants, car parks, bus-stops or cinemas, which are situated in the vicinity of a mobile client computer (4).

(Fig.1)

10

15

PCT/CH00/00319




Fig. 1




Fig. 2

PCT/CH00/00319

2/2




Fig. 3

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney for Patent Application Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nacshstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

As a below named inventor, I hereby declare that:

daß mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, daß ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) es Gegenstandes bin, für den dieser Antrag gestellt wird und für den den ein Patent für die Erfindung mit folgendem Titel beantragt wird:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

SELECTION OF INFORMATION FOR MOBILE CLIENT COMPUTERS

deren Beschreibung hier beigefügt ist, es sei denn (in diesem Falle Zutreffendes bitte ankreuzen), diese Erfindung

the specification of which is attached hereto unless the following box is checked:

wurde angemeldet am / was filed on: 13 Jan, 2001

unter der US-Anmeldenummer oder unter der Internationalen Anmeldenummer im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) / as United States Application Number or PCT International Application Number: 10/009,484

und am / and was amended on (if applicable) 13th Jan, 2001 abgeändert (falls zutreffend).

Ich bestätige hiermit, daß ich den Inhalt der oben angegebenen Patentanmeldung, einschließlich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.

Ich erkenne meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, Code of Federal Regulations, § 1.56 von Belang sind. I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

ACTURATE DEDECT

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, United States Code, § US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderurkunden, oder § 365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstehend durch ankreuzen sämtliche Auslandsanmeldungen für Patente bzw. Erfinderurkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

I hereby claim foreign priority under Title 35, 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Applications / Frühere ausländische Anmeldungen

(Number) (Country) (Filing Date: day/month/year) Priority Not Claimed (Nummer) (Land) (Anmeldetag : tag/monat/jahr) Priorität nicht beanspruct

PCT/CH00/003 International Application 9th June 2000

Ich beanspruche hiermit Prioritätsvorteile unter Title 35, US-Code, § 119(e) aller US-Hilfsanmeldungen wie unten gufgezählt.

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

(Application No.) (Aktenzeichen)

(Filing Date: day/month/year) (Anmeldetag: tag/monat/jahr)

Ich beanspruche hiermit die mir unter Title 35, US-Code, § 120 zustehenden Vorteile aller unten aufgeführten US-Patentanmeldungen bzw. § 365(c) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und erkenne, insofern der Gegenstand eines jeden früheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations, § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesen (PCT) gültigen internationalen Anmeldetags bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and sinsofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application No.) (Aktenzeichen)

(Filing Date: day/month/year) (Anmeldetag: tag/monat/jahr)

(Status) (patented, pending, abandoned) (Status) (patentiert, schwebend, aufgegeben)

Ich erkläre hiermit, daß alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und daß derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

incopusu ososos

VERTRETUNGSVOLMACHT: Als benannter Erfinder beauftrage ich hiermit den (die) nachstehend aufgeführten Patentanwalt (Patentanwälte) und/oder Vertreter mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Angelegenheiten vor dem US-Patent- und Markenamt: (Name(n) und Registrationsnummer(n) auflisten)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Michael J. Bell, Reg. No. 39,604; Derek J. Jardieu, Reg. No. 44,483; John R. Keville, Reg. No. 42,723; David P. Owen, Reg. No. 43,344; Jacobus C. Rasser, Reg. No. 37,043; Carter J. White, Reg. No. 41,374; each an attorney or agent with the law firm of Howrey Simon Arnold & White, and all other practitioners associated with USPTO Customer No. 22930 as its attorney or agent so long as they remain with such law firm

Postanschrift / Send Correspondence to:

Howrey Simon Arnold & White, 1299 Pennsylvania Avenue, N.W., Washington, DC 20004, USA

Telefonische Auskünfte: (Name und Telefonnummer) / Direct Telephone Calls to: (name and telephone number)

David P. Owen 011 44 20 7628 3303

Unterschrift des Erfinders/ Inventor	s signature:		Datum/Date:	24.04:02
Wohnsitz/Residence:	18. h de la Nalle, 06780 Gr	lasse France	FRX	
Staatsangehörigkeit/Citizenship:	Gaman	-		
Postanschrift/Post Office Address:		4. "		

		•		
Vor- und Zuname des zweiten Mite	rfinders (falls zutreffend)/Full name of sec	ond joint inventor.	, if any:	
Vor- und Zuname des zweiten Miter Unterschrift des zweiten Erfinder/So		ond joint inventor,	, if any: Datum/Date:	
		ond joint inventor,		
Unterschrift des zweiten Erfinder/So		ond joint inventor,		
Unterschrift des zweiten Erfinder/Sc Wohnsitz/Residence:		ond joint inventor,		

(Im Falle dritter und weiterer Miterfinder sind die entsprechenden Informationen und Unterschriften hinzuzufügen.) (Supply similar information and signature for third and subsequent joint inventors.)